

## PT. Endlessafe Sinergi Safetindo

Fire Protection and Safety Equipmet Specialist

Green Village, Rukan Ginza C19, Nergotog, Pinang, Kota Tangerang, Banten 15145

Telp. (021) 5571-3619 | email: sales@endlessafe.com | website: www.endlessafe.com

Contact Person: **Riyan** | Call/WhatsApp: **0818-0818-0208**





Dengan hormat,

Kami PT. Endlessafe Sinergi Safetindo merupakan distributor resmi untuk produk-produk dibawah ini.




Bersama ini kami berikan penawaran harga fireman suites dengan rincian sebagai berikut:

No	Picture	Product Name	Specifications	Certificate	Unit Price (Rp.)	Discount	Price after discount (Rp.)
<b>Fire Safety Cabinet (Lemari Safety Pemadam)</b>							
1		Lemari APD / lemari safety pemadam / fire safety cabinet  Ukuran Besar 2 pintu Bahan Plat Besi	<ul style="list-style-type: none"> <li>- Ukuran : T 180 x P 120 x L 40 cm</li> <li>- Material : Mild Steel Plate (Plat besi) tebal 1,2mm</li> <li>- Finishing warna : coating powder cat merah</li> <li>- 2 buah Pintu Kaca</li> <li>- 2 buah kunci</li> <li>- 4 buah roda double ball bearing ukuran diameter 4 inch (100 x 32 mm) disertai fungsi rem yang di las ke rangka besi bawah</li> <li>- Tiang gantungan untuk baju pemadam, rompi safety, dll</li> <li>- 3 buah sekat</li> <li>- 1 buah Palu pemecah kaca dengan rantai di sisi samping</li> <li>- Bonus 3 buah gantungan baju tebal</li> </ul>		9,300,000	25%	6,975,000
2		Lemari APD / lemari safety pemadam / fire safety cabinet  Ukuran Besar 2 pintu Bahan Aluminium	<ol style="list-style-type: none"> <li>1. Ukuran : T 180 x P 120 x L 40 cm</li> <li>2. Material : plat menggunakan aluminum composite, rangka alumunium yang dengan coating powder warna merah dan kaca tebal 4mm</li> <li>3. Sisi samping (kanan dan kiri) menggunakan kaca; sisi belakang, bawah, atas dan ambalan plat alumunium</li> <li>4. Rangka bawah menggunakan besi</li> <li>5. tedapat 2 buah Pintu kaca dilengkapi kunci dimasing-masing pintu</li> <li>7. menggunakan 4 buah roda double ball bearing ukuran diameter 4 inch (100 x 32 mm) disertai fungsi rem yang di las ke rangka besi bawah</li> <li>8. Terdapat tiang gantungan untuk baju pemadam, rompi safety, dll</li> <li>9. Bonus 3 buah gantungan baju tebal</li> </ol>		7,000,000	25%	5,250,000
3		Lemari APD / lemari safety pemadam / fire safety cabinet  Ukuran Besar 2 pintu Bahan Aluminium	<ol style="list-style-type: none"> <li>1. Ukuran : T 180 x P 120 x L 40 cm</li> <li>2. Material : plat menggunakan aluminum composite, rangka alumunium yang dengan coating powder warna merah dan kaca tebal 4mm</li> <li>3. Sisi samping (kanan dan kiri), belakang, bawah, atas dan ambalan plat alumunium</li> <li>4. Rangka bawah menggunakan besi</li> <li>5. tedapat 2 buah Pintu kaca dilengkapi kunci dimasing-masing pintu</li> <li>7. menggunakan 4 buah roda double ball bearing ukuran diameter 4 inch (100 x 32 mm) disertai fungsi rem yang di las ke rangka besi bawah</li> <li>8. Terdapat tiang gantungan untuk baju pemadam, rompi safety, dll</li> <li>9. Bonus 3 buah gantungan baju tebal</li> </ol>		7,000,000	25%	5,250,000
4		Lemari APD / lemari safety pemadam / fire safety cabinet  Ukuran Besar 1 pintu Bahan Plat Besi	<ul style="list-style-type: none"> <li>- Ukuran : T 180 x P 60 x L 40 cm</li> <li>- Material : Mild Steel Plate (Plat besi) tebal 1,2mm</li> <li>- Finishing warna : coating powder cat merah</li> <li>- 1 buah Pintu Kaca</li> <li>- 1 buah kunci</li> <li>- 4 buah roda double ball bearing ukuran diameter 4 inch (100 x 32 mm) disertai fungsi rem yang di las ke rangka besi bawah</li> <li>- 2 buah sekat</li> <li>- 1 buah Palu pemecah kaca dengan rantai di sisi samping</li> </ul>		4,700,000	25%	3,525,000
5		Lemari APD / lemari safety pemadam / fire safety cabinet  Ukuran Kecil 2 pintu Bahan Plat Besi	<ul style="list-style-type: none"> <li>- Ukuran : T 95 x P 120 x L 40 cm</li> <li>- Material : Mild Steel Plate (Plat besi)</li> <li>- Finishing warna : coating powder cat merah</li> <li>- 2 buah Pintu Kaca dilengkapi kunci</li> <li>- Tiang gantungan untuk baju pemadam, rompi safety, dll</li> <li>- 1 buah Palu pemecah kaca dengan rantai di sisi samping</li> <li>- Bonus 3 buah gantungan baju</li> </ul>		5,700,000	25%	4,275,000
6		Fire Trolley / Trolley APAR	<ul style="list-style-type: none"> <li>- Ukuran : 100 x 90 x 60 cm</li> <li>- Material : Mild Steel Plate (Plat besi)</li> <li>- Finishing warna : coating powder cat merah</li> <li>- 2 buah Pintu Kaca di depan dan 1 pintu di atas</li> <li>- 4 buah roda double ball bearing ukuran diameter 4 inch (100 x 32 mm) disertai fungsi rem yang di las ke rangka besi bawah</li> </ul>		6,500,000	25%	4,875,000






**Fireman Suites / Baju Anti Panas**

1		<p>Fireman Suite (Jacket and Trouser)</p> <p>JJXF ZFMH-JX D</p> <p>Baju Tahan Impor Standar Eropa</p>	<p>1) Structure: 4 layers                  2) Outer layer: <b>DuPont (USA) Nomex IIIA 6oz</b> (93% Nomex, 5%Kevlar, 2%P140, 205g/m2 ripstop)                  3) Moisture Barrier layer: aramid nonwoven fabric + PTFE 108 g / m<sup>2</sup>;                  4) Thermal Barrier: 80%Nomex +20%Kevlar insulation mat                  5) Comfortable layer: 50%Nomex+50% FR Viscose                  6) 3M reflective stripe                  7) Cuff &amp; knees reinforced flame and abrasion resistive fabric (360±36) g/m<sup>2</sup>                  8) DRD (Drag Rescue Device)                  9) TPP value: 34cal/cm2                  10) Weight: 2.88kg/set                  11) Color: Khaki and Navy Blue</p>	<p>CE / EN469 (Standard Eropa)</p> <p>Fire test report (from UK)</p>	9,744,000	25%	7,308,000
2		<p>Fireman Suite (Jacket and Trouser)</p> <p>Brand: Endlesafe                  Type: ES-FM-ST-4L</p> <p>Impor China</p>	<p>1. Structure : 4 Layers                  2. Outlayer : Oil resistant flame retardant cotton satin                  3. Thermal barrier layer : 300g thermal insulation cotton                  4. Lining layer : camlet                  5. Flame Retardant Property : Damaged length&lt;100mm,after flame times≤2S                  6. Fabric strength: tearing strength≥40N, breaking strength≥600N 。                  7. Detachable type                  8. Weight: 3.2kg                  11. Color: Red Orange, Khaki and Navy Blue</p>	<p>Uji lab Balai Besar Tekstil (Kementerian Perindustrian)</p> <p>ASTM D6413/D6413 M-15</p>	3,250,000	25%	2,437,500
3		<p>Fireman Suite (Jacket and Trouser)</p>	<p>Struktur 3 Layer:                  - Bahan luar: Nomex Lokal                  - Bahan tengah: Dakron                  - Bahan dalam : Cotton                  Resleting YKK kuningan                  Scotlight 3M                  Dilengkapi 3 saku di baju, 2 saku di celana.</p>		2,750,000	25%	2,062,500
4		<p>Coverall / Wearpack tahan panas (tidak termasuk sarung tangan)</p>	<p>Bahan luar menggunakan Nomex lokal                  Resleting YKK kuningan                  3M Scotchlite                  Warna: Merah, Orange, Navy Blue</p>	<p>Uji lab Balai Besar Tekstil (Kementerian Perindustrian)</p> <p>ASTM D6413/D6413 M-15</p>	1,750,000	25%	1,312,500




**Fireman Gloves**


1		<p>Fireman Gloves                  JJXF JJXF-ST-2</p> <p>Standar Eropa</p>	<p>1). Structure 4 layers                  Outer layer: aramid fire retardant fiber                  Waterproof layer: TPU low permeability Milky white waterproof bag                  Heat insulation layer: Aramid mats                  Inner layer: cotton                  2) TPP ≥ 30.1cal/cm2                  3) Wear-resisting propert: palm is over 2000N and back is over 2000N                  4) Cutting force: palm ≥ 4 (15.0N) ≥ 4.0N (15.0N), back;                  5) Tear force: palm ≥ 100N (178.2N);                  7)reflective tape: 360 ° reflective logo and width not less than 50mm belt.</p>	<p>CE / EN659 (Standard Eropa)</p>	696,000	25%	522,000
2		<p>Fireman Gloves</p> <p>Brand: ENDLESSAFE                  Type: ES-FM-GV-4L</p> <p>Ex. China</p>	<p>Structure: 4 layers (wearable, anti-slip)                  Outer shell: high strength fabric with flame retardant,wear-resisting, anti- puncture                  Waterproof layer: waterproof and moisture permeable fabrics.                  Heat insulatoin layer: aramid mats                  Inner layer: cotton                  Function: Anti-slip, anti-puncture termal resistant and flame retardant properites.                  Color: Orange</p>	<p>Uji lab Balai Besar Tekstil (Kementerian Perindustrian)</p> <p>ASTM D6413/D6413 M-15</p>	350,000	25%	262,500
3		<p>Sarung tangan pepadam</p> <p>Lokal</p>	<p>- Bahan Nomex IIIA Lokal                  - Scotlight 3m                  - lapisan dalam PE./plice                  - Pilihan warna: Orange, merah, navy blue</p>		150,000	25%	112,500

**Fireman Hood dan Masker Double Respirator**





1		Fireman Hood MRT-L-JJ01	<p>1) Best heat insulation performance provides the best protection. Comfortable, More Durability and Strength.</p> <p>2) Structure: 2 layers</p> <p>3) Material: 50%nomex 50%Vicose FR</p> <p>4) Thermal stability, shrinkage: 4.1%</p> <p>5) Pilling resistance: level 4</p> <p>6) Seam Strength: 916.7N</p> <p>7) Weight: 153.6g</p>	CE / EN13911  (Standard Eropa)	696,000	25%	522,000
2		Masker Double Respirator - 3M 6200	<p>1) High Protection</p> <p>2) Half Face Design</p> <p>3) Cold Breathing Valve</p> <p>4) Adjustable Strap</p> <p>5) Material Rubber/ Activated Carbon</p>		650,000	25%	487,500
3		Masker Doule Respirator - NP306	<p>Masker Double Respirator / Filter dapat melindungi dari Gas, Kabut Asap, Cat, dan Debu. Dilengkapi dengan Double Cartridge dan tali pengikat yang elastis.</p> <p>Kelebihan masker double chemical respirator :</p> <ul style="list-style-type: none"> <li>- Menyaring kabut asap, debu dan abu yang berbahaya dengan double filter</li> <li>- Menyaring kotoran dengan high toxic</li> <li>- Dengan bahan yang elastis aman untuk pernapasan</li> <li>- Filter mudah di ganti</li> </ul>		98,000	25%	73,500
4		Masker Gas Full Face Double Respirator	<p>Full Facepiece Respirator, Large lens for wide field of view, Lightweight, balanced design. Silicone facesal for greater comfort and durability</p> <p>Connection Type: Bayonet</p> <p>Facepiece Type: Full Facepiece Reusable</p> <p>Harness Type: 4 point</p> <p>Operation Type: Facility Safety, Maintenance, Repair &amp; Operations, Overhaul</p> <p>Primary Material: Silicone/Thermoplastic Elastomer</p>		990,000	25%	742,500
5		Military Full Face Gas Mask  JJXF-401A	<p>1) Panoramic breathing full cover, large protective visor, broad vision. Built-in half-mask with two air circulation valve to prevent sliding visor, with a one-way exhalation valve.</p> <p>5-point quick adjustable headban</p> <p>Accessory: EN148-1 type filter tank</p> <p>2) Material: rubber.</p> <p>3) Protection time: 40-60min</p> <p>4) Flame retardant: continued burning time ≤5s</p> <p>5) Air flow resistance: inspiratory resistance &lt; 40Pa expiratory resistance &lt; 100Pa;</p> <p>6) lenses (light transmittance ratio) ≥ 89%</p> <p>7) Mask leakage rate: ≤0.05%</p> <p>8) Mask dead space: ≤ 1%</p>	CE / EN148	2,958,000	25%	2,218,500

#### Fireman Boot / Safety Boot



1		Fireman Boot JJXF RJX30A	<p>1) Material: Polythene Rubber, steel toe, steel midsole</p> <p>2) Oil resistant property: upper 9.5% side 9.8% , bottom 5.8%</p> <p>3) Anti drop performance : static pressure 21mm ; impact 20.5mm ;</p> <p>4) .Puncture resistance: 1830N</p> <p>5) Electrical insulation: Withstand voltage: ≥5000V;</p> <p>6) Thermal insulation performance: 4°C ;</p> <p>7) Anti slip: &gt;15o ;</p> <p>8) Weight: 2.4kg</p>	CE / EN15090  (Standard Eropa)	1,200,000	25%	900,000
2		Fireman boot Harvik	<p>Flame retardant rubber outsole. Fuel oil resistant sole suitable for inimical environment. Slip resistant vulcanized rubber outsole. Non-corrosive stainless steel. Epoxy coated toe caps. High visibility with black and yellow contrast. Waterproof. Reinforced rubber. Meets EN ISO 20345 impact and compression tests.</p>	CE / EN 15090 MED AS/NZS 4821	1,850,000	25%	1,387,500
3		Safety Shoes Cheetah 7106H	<p>7106 H Sepatu safety ankle bertali terbuat dari bahan kulit asli dan outsole Dual PU dengan design yang ringan dan elegan untuk kenyamanan di segala aktivitas.</p> <p>Steel Toe Cap: Impact resist 200 Joules (20kg), Compression resist 1100 Newton (1000kg). Wide Toe Fit.</p> <p>Dual PU Outsole: Sol yang ringan dan empuk, nyaman dan aman untuk dipakai sepanjang hari.</p> <p>Oil Resistant, Slip Resistant, Antistatic.</p> <p>EN ISO 20345: Spesifikasi dan material dengan standar mutu internasional.</p> <p>SNI 7079: Dibuat sesuai dengan syarat mutu sepatu pengaman yang diterbitkan Badan Standarisasi Nasional (BSN).</p>		675,000	25%	506,250

4		Sepatu AP Boots Terra Eco 3	<p>Sepatu Safety Boot Panjang</p> <p>Merk: AP Boots (ORIGINAL) Tipe: Terra Eco 3 Warna: Kuning Bahan karet anti slip Tinggi : +/- 35CM Tahan air Ringan dan nyaman dipakai</p>		130,000	25%	97,500
---	---	-----------------------------	--	--	---------	-----	--------


#### Fireman Helmet



1		Fireman Helmet JJXF RMK-LH	<p>1). Shell: injection molding, thermoplastic PA66 2). Faceshield: light colored, transparent, high temperature resistant polyethersulfone; 3). Shawl: Aramid+aluminium coated; navy blue cotton oil/flame retardant twill, double layer structure 4). Temperature resistance: 260 Celcius Degree 5). Maximum impact force: 3327.6N 6). Weight: 1.16kgs</p>	CE / EN433  (Standard Eropa)	1,914,000	25%	1,435,500
2		SOS Fullguard	Helm SOS Fullgard hadir sebagai solusi untuk perlindungan kepala pemadam kebakaran. Terbuat dari bahan ABS sebagai lapisan luar dan PP sebagai inner nya, dilengkapi denganFastrac suspension dan tali dagu, memiliki kaca pelindung wajah selebar 27cm yang terbuat dari bahan polycarbonat, dan dilengkapi dengan reflektif kuning disampingnya	-	1,300,000	25%	975,000
3		Helm Pemadam Bullard LTX Fire-Original USA	<p>M-PACT Shell with SmartRidge design High-heat thermoplastic outer shell Comfortable Sure-Lock ratchet headband Balanced 4-point nylon crown straps and crown pad Nomex chinstrap with quick-release buckle and postmans slide fastener Rip-stop Nomex ear/neck protector Leather ratchet cover Removable fire-resistant, absorbent cotto</p>	NFPA 1971-2013 standard	4,750,000	25%	3,562,500
4		Helm Pemadam Lokal	helm pemadam lokal dengan kaca dan pelindung leher belakang All Size	-	792,000	25%	594,000

#### Fireman Aluminium Suite / Baju Aluminium Anti Api






1		Aluminium foil insulation suit Brand: JJXF RGF-F1	<p>Structure: 3 Layers Outer layer: <b>Kevlar</b> + aluminum coated Thermal layer: aramid retardant insulatoin mat 170g/m2 Comfortable layer: lining natural cotton. Accessory: Hood, Jacket, SCBA backpack, pants, gloves, insulated shoes. Temperature tolerance: 260°C TPP value: 35.0cal/m2 Heat resistant: <b>1000 degree</b> celsius radiation Flame retardant Property: damaged length 5mm, burn off time: 2S Weight: <b>4.2kg</b></p>	CE / EN1486  (Standard Eropa)  Fire test report	12,180,000	25%	9,135,000
2		Aluminium foil insulation suit Brand: ENDLESSAFE Type: ES-FM-AFIS	<p>Structure: 3 Layers Outer layer: <b>Aluminum foil composite flame retardant glass fiber</b> Thermal layer: aramid retardant insulation mat Comfortable layer: lining natural fiber fabric. Accessory: Hood, Jacket, SCBA backpack, pants, gloves, insulated shoes. Heat resistant: <b>550 degree</b> celsius radiation Flame Retardant Property: damaged length 5mm Visor material: PES + silicon oxide/silve coating, 3mm thickness Inside Helmet: HDPE Weight: <b>5.7kg</b></p>		8,200,000	25%	6,150,000

#### Breathing Apparatus


1		Breathing Apparatus (SCBA) - Cylinder Steel 6l Brand: YEAN / HYPRO	<p>Capacity: 6 Liter Working Pressure: 30Mpa Use time: 55-60minutes Cyinder Material: Steel Weight:≤14kg</p> <p>Include in package: full face mask, Backing, Gas cylinder, medium pressure pipe, assembly, High-pressure connector, Positive pressure air control device, pressure relief valve assembly, hard case.</p>	SOLAS  CSS	9,988,000	25%	7,491,000
---	--	--	--	------------------	-----------	-----	-----------



2		Breathing Apparatus (SCBA) - Coumposite Brand: MSA Air Express One	BD Backplate: word-renowned design AutoMaxx-AS demand valve Gauge cap Pneumatic systems based on the alpha platform Padded harness, with reflective logo on the shoulder strap Integrated transponder for storage control  Capacity: 6.8 Liter Working Pressure: 300 BAR Cylinder Material: Coumposite Features: high temperature resistance, flame retardant, insulation, anti-corrosion, waterproof, light weight, good air tightness and other properties.	CE / EN137 (Standard Eropa)	34,000,000	25%	25,500,000
3		Breathing Apparatus (SCBA) - Coumposite Brand: JJXF Type: RHZK	Specification: Cylinder capacity: 6.8L Working pressure: 30MPa (300 bar) Output pressure: 0.8MPa Service life: 15 years, Total weight: 19kg	CE / EN137 (Standard Eropa)	24,500,000	25%	18,375,000

### Flash Light




1		Senter LED Tactical CREE XML 2 8000L	Lampu Cree XML LED Lumens 8000 Voltage 3.6 - 4.2V Tipe Baterai 1 x 18650 / 3 x AAA Material Aluminium Alloy Water resistance Dimensi 3.5 x 3.5 x 2.8 cm  Include in package: flashlight, Charger and Case Box		170,000	25%	127,500
2		Lampu senter besar 15 watt	- dirancang bebas perawatan, kapasitas tinggi 3000mAh baterai timbal asam yang dapat diisi ulang. - Baterai yang tahan lama, lebih dari 300 siklus pengisian dan pengosongan. - 15 watt led yang super terang umur panjang ramah lingkungan, konsumsi daya yang rendah, pencahayaan waktu yang lama. - Dengan reflektor khusus, pencahayaan lebih baik dan jauh lebih fokus serta jarak pencahayaan yang lebih jauh. - Dengan desain produk yang lebih bagus dan terampil		275,500	25%	206,625
3		Senter kepala Lumment HLM-230 30w LED headlamp	- 30 Watt LED (White) - Battery Lithum 2000Mah ( Daya Tahan 15 Jam ) - Tombol On / Off - DC Socket  Kelengkapan : Senter ( Unit ), Charger, Head Strap & Box		130,000	25%	97,500
4		headlamp headlight Energizer senter kepala 5 led 300 lumens	- 50 hours run time - Night Vision - Pivoting Head - Waterproof - 70 meters beam distance - Dinnable switch - 300 Lumens - Bonus batre AAA 3pcs		247,000	25%	185,250
4		headlamp / Senter kepala mini cob plasma 3w	-memakai led cob plasma 3W 110 lumens -batre A3 (tidak termasuk batre) -bahan material : plastik abs/pC -waterresistan : IPX-4 -daya jangkau senter : +-80meter		440,000	25%	330,000

### Tandu Lipat



1		Tandu Lipat 2 Aluminium	Dimensi Produk: 2210 x 530 x 150mm Dimensi Produk terlipat: 1100 x 180 x 220mm Berat Bersih: 6 Kg Berat Maksimal: 159 Kg Terdapat shield belt Terdapat tas tandu lipat Pegangan tandu dari bahan karet		1,580,000	25%	1,185,000
---	--	-------------------------	--	--	-----------	-----	-----------

2		Tandu Lipat 4 Alumunium	<ul style="list-style-type: none"> <li>- Ukuran terbuka (tandu dibuka) : 213cm (p) x 56cm (L) x 15cm (T)</li> <li>- Ukuran tertutup (tandu ditutup) : 104cm (p) x 19cm (L) x 12cm (T)</li> <li>- Berat tandu : 5 kg</li> <li>- ada tas warna orange</li> <li>- Bahan ALUMUNIUM TEBAL, TDK BISA BERKARAT</li> <li>- Mampu menampung beban sampai dengan 159 Kg</li> <li>- Terdapat 2 buah sabuk pengaman sehingga pasien lebih aman dan tidak jatuh</li> </ul>		1,995,000	25%	1,496,250
3		Tandu Lipat 2 Besi	tandu bahan terpal lebar 55cm panjang 170cm (tanpa tas)		1,050,000	25%	787,500

#### Fire Blanket

1		Fire Blanket Ukuran 1,2 x 1,2 m	<ul style="list-style-type: none"> <li>•Lebar / Panjang : 1.2 meter / 1.2 meter</li> <li>•Tebal : 0.4 mm</li> <li>•Material : Fiberglass</li> <li>•Temperatur : 550°C</li> <li>•Standard: CE / EN-1869:1997</li> </ul>	EN1869	220,000	25%	165,000
2		Fire Blanket Ukuran 1,2 x 1,8 m	<ul style="list-style-type: none"> <li>•Lebar / Panjang : 1.2 meter / 1.8 meter</li> <li>•Tebal : 0.4 mm</li> <li>•Material : Fiberglass</li> <li>•Temperatur : 550°C</li> <li>•Standard: CE / EN-1869:1997</li> </ul>	EN1869	290,000	25%	217,500
3		Fire Blanket Ukuran 1,8 x 1,8 m	<ul style="list-style-type: none"> <li>•Lebar / Panjang : 1.8 meter / 1.8 meter</li> <li>•Tebal : 0.4 mm</li> <li>•Material : Fiberglass</li> <li>•Temperatur : 550°C</li> <li>•Standard: CE / EN-1869:1997</li> </ul>	EN1869	390,000	25%	292,500


#### Safety Vest (Rompi Safety)

1		Rompi Safety Tebal Nankai	<ul style="list-style-type: none"> <li>- Terbuat dari bahan polyster</li> <li>- Warna Hijau / orange / merah</li> <li>- Terdapat scotchlite tape (skotlet) di bagian depan dan belakang</li> <li>- All size</li> <li>- Terdapat kantong dan ritsleting</li> </ul>		162,000	25%	121,500
2		Rompi Safety Tipis (Jaring)	Rompi Safety Jaring Bahan Polyster All Size Warna: Hijau / Orange		110,000	25%	82,500


#### Axe (Kampak)

1		Kapak (Axe) Brand: Endlessafe	2 Mata Panjang 60cm Gagang Kayu		720,000	25%	540,000
2		Fire Axe / Kapak Damkar Brand: OVERFLY	Panjang 30cm Gagang Karet		720,000	25%	540,000



#### Full Body Harness

1		Full Body Harness double big hook	Safety Working Loads Hook (830 kg) Metode uji: SNI 07-0408-1989 Tali webbing: 655 kgf Jahitan sambungan webbing: 650 kgf Tambang : 1300 kgf (single)		480,000	25%	360,000
---	--	--------------------------------------	---	--	---------	-----	---------





**Safety Helmet**

1		Helm Safety	HELM + FASTRACK + TALI DAGU  Plastik tebal berkualitas (tidak mudah pecah) Harga sudah termasuk fastrack (sarang) dan tali dagu Ukuran : All Size Warna: Merah, Kuning, Putih, Biru, Hijau, Orange		142,000	25%	106,500
---	--	-------------	---	--	---------	-----	---------

**Safety Goggles / Kacamata Safety**

1		Kacamata Safety Full	1. Formulasi perlindungan karet sintesis sangat bagus dan berkualitas 2. Kacamata Google ini dapat melindungi mata Anda dari debu/kotoran & benda tajam. 3. Benar-benar Mudah dibersihkan secara kimia untuk daya tahan, kebersihan yang lebih baik dan bebas debu 4. Kacamata Google ini sangat populer untuk kebutuhan umum 5. Dapat digunakan untuk pengendara motor, pekerja lapangan, Pemain air softgun, Instalasi Listrik DII. 6. Lensa kaca memiliki fitur ANTIFOG (ANTI EMBUN)		135,000	25%	101,250
2		Kacamata Kings KY2221	- ANSI Z87.1 - EN 166 - Lens color : Clear - Temple color : clear - 99% UV protection - Anti scratch coating		99,000	25%	74,250

**Peralatan emergency lainnya**

1		Megaphone TOA	Output : Rated 15W Power Source : 9V DC R14P (SUM-2) or "C" Batteries AA 6 pcs Audible Range : Talk : Approx. 400m Sirene : Approx. 500m Sirene Mode : Push to talk Outer Horn Diameter : 210 mm Length : 310 mm Weight : 980 g		1,007,000	25%	755,250
2		P3K / First Aid Kit/ Tipe C	Tas Emergency Selempang, sudah termasuk Isi P3K Tipe C. Sesuai peraturan kementerian untuk pegawai maksimal 100 orang.		900,000	25%	675,000
3		Tabung Oksigen Portable / Emergency	Tabung Oksigen portable cocok untuk emergency: - Lengkap dengan koper - Bisa diisi ulang - kapasitas 2 Liter - Sudah termasuk Isi ( isi standar pabrik )		2,660,000	25%	1,995,000
4		Kursi Roda Sella Velg Racing KY 809B	Tabung Oksigen portable cocok untuk emergency: - Lengkap dengan koper - Bisa diisi ulang - kapasitas 2 Liter - Sudah termasuk Isi ( isi standar pabrik )		1,710,000	25%	1,282,500

**Syarat dan Ketentuan:**  
1. Harga franco Jakarta dan Tangerang  
2. Pembayaran uang muka (DP) 50%, sisanya ketika barang sudah siap untuk di kirim / di terima

Demikian penawaran harga yang dapat kami sampaikan, silahkan menghubungi kami bila Bapak/Ibu membutuhkan klarifikasi lebih lanjut. Atas perhatian dan kerjasamanya kami ucapkan terima kasih.