

Fire Protection and Safety Equipmet Specialist

Jl. Japos Raya No.A06, Kelurahan Juramangu Barat, Kec. Pd. Aren, Kota Tangerang Selatan, Banten 15223

Telp. (021) 2227-6780 | email: sales@endlessafe.com | website: www.endlessafe.com



Contact Person: Riyan | Call/WhatsApp: 0818-0818-0208

Dengan hormat,

Kami PT. Endlessafe Sinergi Safetindo merupakan distributor resmi untuk produk-produk dibawah ini.





Bersama ini kami berikan penawaran harga fireman Suits dengan rincian sebagai berikut:

No	Picture	Product Name	Specifications	Certificate / Standard	Unit Price (Rp.)	Discount	Price after discount (Rp.)
Fire Safety Cabinet (Lemari Safety Pemadam)							
1		Lemari APD / Safety Cabinet Plat Besi Besar 2 pintu Size: T 180 x P 125 x L 40 cm Brand: ENDLESSAFE Model: ES-FSC-BS	<ol style="list-style-type: none"> 1. Size: T 180 x P 125 x L 40 cm 2. Material : Mild Steel Plate (Plat besi) tebal 1,2mm 3. Finishing warna : coating powder cat merah 4. Dilengkapi 2 buah Pintu Kaca, 2 buah kunci, 2 buah handle, 4 buah roda double ball bearing Size: diameter 4 inch disertai fungsi rem yang di las ke rangka besi bawah 5. Terdapat Tiang gantungan untuk baju pemadam, rompi safety, dll 6. Terdapat 3 buah sekat 7. Terdapat 1 buah Palu pemecah kaca dengan rantai di sisi samping 8. Bonus 3 buah gantungan baju tebal 		9.500.000	25%	7.125.000
2		Lemari APD / Safety Cabinet Aluminium Besar 2 pintu Size: T 180 x P 125 x L 40 cm Brand: ENDLESSAFE Model: ES-FSC-ALS	<ol style="list-style-type: none"> 1. Size: T 180 x P 125 x L 40 cm 2. Rangka Aluminium 3. Sisi samping (kanan dan kiri), belakang, bawah, atas dan ambalan plat aluminium composite panel. 4. Dilengkapi dengan 4 buah roda double ball bearing Size: diameter 3 inchi disertai fungsi rem yang di las ke rangka besi bawah. 5. Dua buah pintu kaca dilengkapi kunci dan dimasing-masing pintu. 6. Terdapat tiang gantungan untuk pakaian pemadam, rompi safety, dll. 7. Bonus 3 buah gantungan baju tebal. 		7.500.000	25%	5.625.000
3		Box APD / Safety Cabinet Plat Besi Kecil 2 pintu Size: T 95 x P 125 x L 40 cm Brand: ENDLESSAFE Model: ES-FSC-BSP	<ul style="list-style-type: none"> - Size: T 95 x P 125 x L 40 cm - Material : Mild Steel Plate (Plat besi) - Finishing warna : coating powder cat merah - 2 buah Pintu Kaca dilengkapi kunci - Tiang gantungan untuk baju pemadam, rompi safety, dll - 1 buah Palu pemecah kaca dengan rantai di sisi samping - Bonus 3 buah gantungan baju 		6.000.000	25%	4.500.000
4		Box APD / Safety Cabinet Plat Besi Kecil 1 Pintu Size: T 95 x P 60 x L 40 cm Brand: ENDLESSAFE Model: ES-FSC-BSPS	<ul style="list-style-type: none"> - Size: T 95 x P 60 x L 40 cm - Material : Mild Steel Plate (Plat besi) - Finishing warna : coating powder cat merah - 1 buah Pintu Kaca dilengkapi kunci 		3.000.000	25%	2.250.000
5		Fire Trolley / Trolley APAR Size: 100 x 90 x 60 cm Brand: ENDLESSAFE Model: ES-FTR	<ul style="list-style-type: none"> - Size: 100 x 90 x 60 cm - Material : Mild Steel Plate (Plat besi) - Finishing warna : coating powder cat merah - 2 buah Pintu Kaca di depan dan 1 pintu di atas - 4 buah roda double ball bearing Size: diameter 3 inch disertai fungsi rem yang di las ke rangka besi bawah 		8.000.000	25%	6.000.000
Fireman Suits / Baju Anti Panas							
1		Fireman Suit (Jacket and Trouser) Brand: JJXF Model: ZFMH-JX D(DRD) Standar Eropa	<ol style="list-style-type: none"> 1) Structure: 4 layers 2) Outer layer: Nomex IIIA 6oz (93% Nomex, 5%Kevlar, 2%P140, 255g/m2 ripstop) 3) Moisture Barrier layer: aramid nonwoven fabric + PTFE 108 g / m²; 4) Thermal Barrier: 80%Nomex +25%Kevlar insulation mat 5) Comfortable layer: 50%Nomex+50% FR Viscose 6) 3M reflective stripe 7) Cuff & knees reinforced flame and abrasion resistive fabric (360±36) g/m² 8) DRD (Drag Rescue Device) 9) TPP value: 34cal/cm² 10) Weight: 2.88kg/set 11) Color: Khaki and Navy Blue 12) Size: S, M, L, XL, XXL 	CE / EN469 (Standard Eropa) Fire test report (from BTTG UK) Sertifikat Laporan Hasil Uji Lab Damkar	9.950.000	25%	7.462.500




2		<p>Fireman Suit (Jacket and Trouser)</p> <p>Brand: ENDLESSAFE Model: ES-FM-ST-4L</p> <p>LHU Damkar</p>	<ol style="list-style-type: none"> Structure : 4 Layers Outlayer : Oil resistant flame retardant cotton satin Thermal barrier layer : 250g thermal insulation cotton Lining layer : camlet Flame Retardant Property : Damaged length<100mm,after flame time≤25 Fabric strength: tearing strength≥40N, breaking strength≥600N 。 Detachable type DRD (Drag Rescue Device) Weight: 3.2kg Color: Orange and Khaki Size: S, M, L, XL, XLL 	<p>Uji Lab Balai Besar Tekstil (Kementrian Perindustrian) ASTM D6413/D6413M-15</p> <p>Sertifikat Laporan Hasil Uji Lab Damkar</p>	3.600.000	25%	2.700.000
Fireman Aluminium Suit / Baju Aluminium Anti Api							
1		<p>Aluminium foil heat insulation suit</p> <p>Brand: JJXF Model: RGF-F1</p> <p>Standar Eropa</p>	<p>Structure: 3 Layers Outer layer: Kevlar + aluminum coated Thermal layer: aramid retardant insulatoin mat 170g/m2 Comfortable layer: lining natural cotton. Accessory: Hood, Jacket, SCBA backpack, pants, gloves, insulated shoes. Temperature tolerance: 260°C TPP value: 25.0cal/cm2 Heat resistant: 1000 degree celsius radiation Flame retardant Property: damaged length 5mm, burn off time: 2S Weight: 4.2kg</p> <p>Size Option: S, M, L, XL, XXL</p>	<p>CE / EN1486 (Standard Eropa) C/W Fire test report</p>	12.500.000	25%	9.375.000
2		<p>Aluminium foil heat insulation suit</p> <p>Brand: ENDLESSAFE Model: ES-FM-AFIS</p> <p>LHU Damkar</p>	<p>Structure: 3 Layers Outer layer: Fiber Glass + aluminum coated Thermal layer: aramid retardant insulation mat Comfortable layer: lining natural fiber fabric. Accessory: Hood, Jacket, SCBA backpack, pants, gloves, insulated shoes. Heat resistant: 550 degree celsius radiation Flame Retardant Property: damaged length 5mm Visor material: PES + silicon oxide/silve coating, 3mm thickness Inside Helmet: HDPE Weight: 5.7kg</p> <p>Size Option: S, M, L, XL, XXL</p>	<p>Uji Lab Damkar / Fire Test Report</p>	6.900.000	25%	5.175.000
Fireman Gloves							
1		<p>Fireman Gloves</p> <p>Brand: JJXF Model: JJXF-ST-2</p> <p>Standar Eropa</p>	<ol style="list-style-type: none"> Structure 4 layers Outer layer: aramid fire retardant fiber Waterproof layer: TPU low permeability Milky white waterproof bag Heat insulation layer: Aramid mats Inner layer: cotton TPP ≥ 25.1cal/cm2 Wear-resisting propret: palm is over 2500N and back is over 2500N Cutting force: palm ≥ 4 (15.0N) ≥ 4.0N (15.0N), back; Tear force: palm ≥ 100N (178.2N); reflective tape: 360 ° reflective logo and width not less than 50mm belt. <p>Color Option: Khaki, Navy Blue and Orange Size: S, M, L, XL, XXL</p>	<p>CE / EN659 (Standard Eropa) C/W Fire Test Report</p> <p>Sertifikat Laporan Hasil Uji Lab Damkar</p>	580.000	25%	435.000
2		<p>Fireman Gloves</p> <p>Brand: ENDLESSAFE Model: ES-FM-GV-4L</p>	<p>Structure: 4 layers (wearable, anti-slip) Outer shell: high strength fabric with flame retardant,wear-resisting, anti-puncture Waterproof layer: waterproof and moisture permeable fabrics. Heat insulatoin layer: aramid mats Inner layer: cotton Function: Anti-slip, anti-puncture termal resistant and flame retardant properites. Color: Orange</p> <p>All Size</p>	<p>Uji lab Balai Besar Tekstil (Kementrian Perindustrian) ASTM D6413/D6413M-15</p>	250.000	25%	187.500
3		<p>Aluminium Heat Resistant Glove 500 °C</p> <p>Brand: ANBOLY Model: ABL-S521</p> <p>Standar Eropa</p>	<p>Material: The palm is made of 1414 para-aramid dense woven fabric, the back of the hand is made of aluminium foil high temperatur resistant fabric, and the inside is aramid insulation felt and comfort layer. Product performance: wear-resistant, anti-radiant, excellent thermal insulation, temperatur resistance 500 °C Product use: use in steel manufacturing, metallurgy and other furnace operation to wear. Lenght: 36cmx size: ALL SIZE</p>	<p>CE EN388 CE EN407</p>	680.000	25%	510.000
3		<p>Aluminium Heat Resistant Glove 1000 °C</p> <p>Brand: ANBOLY Model: ABL-S515</p> <p>Standar Eropa</p>	<ol style="list-style-type: none"> It has good high temperature resistance and anti-cutting performance; The palm is reinforced to increase the wear resistance of the gloves and prolong the use time; High temperature resistance of 1000 degrees (short-term contact: 3-5 seconds) The outer layer is made of Made of KEVLAR® and carbon fiber blended fabrics, the inner layer is made of carbon fiber insulation felt and multi-layer flame-retardant fire-resistant felt; Low thermal conductivity, not easy to ignite; Wear-resistant, high strength; Adopt five-finger design, Flexible activities and easy to use; length: 38cm Size: ALL SIZE 	<p>CE EN388 CE EN407</p>	1.750.000	25%	1.312.500
Fireman Hood, Mask & Safety Goggles							

1		Fireman Hood Brand: JJXF Model: MRT-L-JJ01 Standar Eropa	1) Best heat insulation performance provides the best protection. Comfortable, More Durability and Strength. 2) Structure: 2 layers 3) Material: 50%nomex 50%Vicose FR 4) Thermal stability, shrinkage: 4.1% 5) Pilling resistance: level 4 6) Seam Strength: 916.7N 7) Weight: 153.6g Color Option: White and Black	CE / EN13911 (Standard Eropa) c/w Fire Test Report	580.000	25%	435.000
2		Masker Double Respirator Half Face c/w filter Brand: GOSAVE	Masker Double Respirator / Filter dapat melindungi dari Gas, Kabut Asap, Cat, dan Debu. Dilengkapi dengan Double Cartridge dan tali pengikat yang elastis. Kelebihan masker double chemical respirator : - Menyaring kabut asap, debu dan abu yang berbahaya dengan double filter - Menyaring kotoran dengan high toxic - Dengan bahan yang elastis aman untuk pernapasan - Filter mudah di ganti		65.000	25%	48.750
3		Full Face Gas Mask with double respirator Brand: NA&UM Model: FM-252B	Features: Full Face Design Cold Breathing Valve Adjustable Strap *#Package Content 1 x Full Face Gas Mask 2 x Cartridge 2 x Cotton Filter 2 x Filter Cap		950.000	25%	712.500
3		Fire Escape Mask Model: TZL30	Penetration coefficient of oil mist: >98% Wearing quality: 650g Suction temperature: not more than 65 °C Oil fog through factor: no more than 5%		650.000	25%	487.500
4		Safety Goggles Full Brand: ENDLESAFE Model: ES-SGF	Lens Color: Clear (bening) Size: Adult, unisex Frame: Full view frame Material: PVC frame, PC lens Weight Net : 110 gram Packing: Carton box FEATURES: 1. Anti-scratch 2. Anti-fog 3. Anti-ultraviolet (UV400) 4. Anti-splash		100.000	25%	75.000



Fireman Boot / Safety Boot


1		Fireman Boot Brand: JJXF Model: RJX25A Standar Eropa	1) Material: Polythene Rubber, steel toe, steel midsole 2) Oil resistant property: upper9.5% side 9.8% , bottom5.8% 3) Anti drop performance : static pressure 21mm ; impact 25.5mm ; 4) .Puncture resistance: 1825N 5) Electrical insulation: Withstand voltage:≥5000V; 6) Thermal insulation performance: 4°C ; 7) Anti slip: >15o ; 8) Weight: 2.4kg Size: 38-46	CE / EN15090 (Standard Eropa) c/w Fire Test Report Sertifikat Laporan Hasil Uji Lab Damkar	1.250.000	25%	937.500
2		Fireman Boot Brand: FireFighter	Specification: Upper: Polythene Rubber Midsole: steel Toecap: steel Features: flame retardant, heat insulation, high voltage resistant, oil resistant , anti slip, anti acid and alkali		800.000	25%	600.000
3		Fireman boot Brand: Harvik	Flame retardant rubber outsole. Fuel oil resistant sole suitable for inimical environment. Slip resistant vulcanized rubber outsole. Non-corrosive stainless steel. Epoxy coated toe caps. High visibility with black and yellow contrast. Waterproof. Reinforced rubber. Meets EN ISO 25345 impact and compression tests.	CE / EN 15090 MED AS/NZS 4821	1.950.000	25%	1.462.500
4		Safety Boots Steel Toe Brand: GOSAVE Model: SPARTA	Product Specification: -Heavy Duty -CE Steel Toe (250Joule) -Impact Resistance -Cut Resistance -Abrasive Resistance -Water Resistance -Non Slip Shoe Sole		250.000	25%	187.500

Fireman Helmet



1		Fireman Helmet Brand: JJXF Model:RMK-LH Standar Eropa	1). Shell: injection molding, thermoplastic PA66 2). Faceshield: light colored, transparent, high temperature resistant polyethersulfone; 3). Shawl: Aramid+aluminium coated; navy blue cotton oil/flame retardant twill, double layer structure 4). Temperature resistance: 260 Celcius Degree 5). Maximum impact force: 3327.6N 6). Weight: 1.16kgs Color Option: Red and Yellow	CE / EN433 (Standard Eropa) c/w Fire Test Report Sertifikat Laporan Hasil Uji Lab Damkar	2.400.000	25%	1.800.000
2		Fireman Helmet Brand: JJXF Model:FTK-Q/B Standar Eropa	1. Shell: injection molding, thermoplastic PA66 Anti impact,high temperature resistance, multilevel regulation, wearing comfort 2. Faceshield: light colored, transparent, high temperature resistant polyethersulfone 3. Shawl: Aramid+aluminium coated; navy blue cotton oil/flame retardant twill, double layer structure 4. Temperature resistance: 260oC 5. Maximum impact force: 3341.7N 6. Top hat shock acceleration123.4gn, front296.2gn, side299.8gn, rear254.6gn; 7. Electrical insulation performance: cap shell leakage current 1.2mA 8. Vision: left105g, right105.	CE / EN433 (Standard Eropa) c/w Fire Test Report	2.400.000	25%	1.800.000
3		Fireman Helmet Brand: JJXF Model: FTK-Q/D Standar Eropa	1. Cap shell is made from imported polyamide fiber material, top hat shock acceleration ≤ 150gn; 2. Shock acceleration of front cap ≤ 400gn; 3. Biggest shock acceleration of cap side ≤ 400gn; 4. Cap rear shock acceleration ≤ 400gn; 5. The maximum impact force ≤ 3780N; 6. After the electrical insulation performance, test leakage current ≤ 3mA; 7. Helmet left and right horizontal field is greater than 105 °. 8. Height ≤ 1250g.	CE / EN433 (Standard Eropa) c/w Fire Test Report	4.850.000	25%	3.637.500
4		Fireman Helmet Brand: FireFighter	Outer Shell Material: High temperature polyther imide plastic Face Shield Material: Fire Retarding ABD Weight: 1.02kg Color: Red		650.000	25%	487.500
5		Fireman Helmet Brand: SOS Fullguard	Helm SOS Fullgard hadir sebagai solusi untuk perlindungan kepala pemadam kebakaran. Terbuat dari bahan ABS sebagai lapisan luar dan PP sebagai inner nya, dilengkapi denganFastrac suspension dan tali dagu, memiliki kaca pelindung wajah selebar 27cm yang terbuat dari bahan polycarbonat, dan dilengkapi dengan reflektif kuning disampingnya		1.100.000	25%	825.000
6		Fireman Helmet Brand: Bullard Model: LTX Ex. USA	M-PACT Shell with SmartRidge design High-heat thermoplastic outer shell Comfortable Sure-Lock ratchet headband Balanced 4-point nylon crown straps and crown pad Nomex chinstrap with quick-release buckle and postmans slide fastener Rip-stop Nomex ear/neck protector Leather ratchet cover Removable fire-resistant, absorbent cotto	NFPA 1971-2513 standard	4.950.000	25%	3.712.500

Safety Helmet & Safety Vest


1		Safety Helmet MSA (Lokal)	Helm Proyek / Safety Helmet MSA Lokal sudah SNI Sudah Termasuk Inner FasTrack suspension Belum Termasuk Tali dagu Pilihan warna : Putih, Kuning, Hijau, Biru, Merah, Orange		110.000	25%	82.500
2		Tali Daggu/Chinstrap/Tali Daggu Helm Proyek MSA Lokal	Dilengkapi dengan tali dagu yang sangat elastis dan untuk merenggang serta kuat. Dudukan dagu / Mangkuk dagu yang terbuat dari bahan pilihan menimbulkan sensasi nyaman bagi para penggunaanya.		25.000	25%	18.750

3		<p>Safety Vest</p> <p>Brand: NZ Workwear</p>	<p>Safety vest / rompi safety di lengkapi dengan kantong, zipper dan reflektif scotchlite</p> <p>Pilihan Warna: Hijau dan Orange</p>		120.000	25%	90.000
---	---	--	--	--	---------	-----	--------



Anti-Bee Suit & Chemical Suit








1		<p>Anti-Bee Suit</p> <p>Brand: JJXF Model: FPS60</p>	<p>Anti-bee suit is a protective device worn by firefighters to prevent wasps from biting the body when removing a wasp nest. With anti-cutting, anti-acid, anti-alkali, anti-venom and other protective functions, novel style, reasonable structure.</p> <p>It's made of flame retardant polyvinyl chloride. The utility model is composed of a cowl, jumpsuit, rubber boots, puncture-proof gloves, etc.</p> <p>Face mask is made of hard PC material. The air holes and breathing holes can effectively prevent wasps from spraying poison needles.</p> <p>1. Strength of the fabric: Tensile strength: warp & weft ≥450N/5cm Tear strength: ≥32N</p> <p>2. Chemical resistant boots: Sole electrical insulation: ≥5000V Puncture resistance of sole: ≥1500N</p> <p>3. Weight: ≤4 kg; Packing size: 560 × 525 × 410 mm</p> <p>Size: L & XL</p>		5.500.000	25%	4.125.000
2		<p>Semi-Enclosed Light chemical protective clothing</p> <p>Brand: YIGU Model: YGRFH-02</p>	<p>Product Name: Semi-Enclosed Light chemical protective clothing Brand: YIGU Model: YGRFH-02 Standard of Execution: XF770-2508 GB24540-2509 The thickness of the tape: 0.45+0.05MM Weight <5kg Tensile strength: Latitude and longitude>450N/5cm The strength of the tear: >32N</p> <p>Package: suit, boot and gloves</p>		3.750.000	25%	2.812.500

Immersion Suit / Marine Survival Suit


1		<p>Immersion Suit / Marine Survival Suit</p> <p>Brand: FANGZHAN Model: FZBW-II</p>	<p>waterproof dry suit intended to protect the wearer from hypothermia if immersed in cold water or otherwise exposed after abandoning a vessel, especially in the open ocean.</p> <p>Using waterproof neoprenen of reddish orange color With life jacket light and whistle Comprising jacket and trousers with reflective bands</p> <p>Color: Red Size: L and XL</p>		4.800.000	25%	3.600.000
---	---	---	---	--	-----------	-----	-----------





Emergency Escapde Breathing Device (EEBD) & Self Contained Breathing Apparatus (SCBA)

1		<p>Emergency Escapde Breathing Device (EEBD)</p> <p>Brand: FANGZHAN Model: TH/15-1</p>	<p>Spesifikasi: Working Pressure of the Cylinder:21MPa (210 Bar) Cylinder Volume:3 L Air Deposite: 625 L Using time: > 15 Menit (25 L/Min) Weight: < 7,5kg</p> <p>Kelengkapan: - HEAD COVER - STEEL CYLINDER 3 LITER - PRESSURE GAUGE-METER INDICATOR for EEBD - RUBBER HOSE - BAG CASE/ SATCHEL ASSEMBLY</p>	MED/3.41 EN1146 ISO 23269-1 CSS / SOLAS 74	3.800.000	25%	2.850.000
2		<p>Emergency Escapde Breathing Device (EEBD)</p> <p>Brand: YEAN Model: THDF/15-1</p>	<p>Spesifikasi: Working Pressure of the Cylinder:21MPa (210 Bar) Cylinder Volume:3L Using time:Lebih Dari 15 Menit Weight: = 9 Packing: 60x16x26mm</p> <p>Kelengkapan: - HEAD COVER - STEEL CYLINDER 3 LITER - PRESSURE GAUGE-METER INDICATOR for EEBD - RUBBER HOSE - BAG CASE/ SATCHEL ASSEMBLY</p>	CCS / SOLAS	3.800.000	25%	2.850.000



3		<p>Breathing Apparatus (SCBA) - Steel Cylinder 6 Liter</p> <p>Brand: YEAN Model: RHZK6/30</p>	<p>Volume : 6 Litre Working Pressure : 30 Mpa (300 Bar) Period : 50-60 min Cylinder Material : Steel</p> <p>Include in package: full face mask, Backing, Gas cylinder, valve, medium pressure pipe, assembly, High-pressure connector, Positive pressure air control device, pressure relief valve assembly, box.</p>	CCS / SOLAS	8.100.000	25%	6.075.000
4		<p>Breathing Apparatus (SCBA) - Steel Cylinder 6 Liter</p> <p>Brand: FANGZHAN Model: RHZK6</p>	<p>Volume : 6 Litre Working Pressure : 30 Mpa (300 Bar) Period : 50-60 min Cylinder Material : Steel</p> <p>Include in package: full face mask, Backing, Gas cylinder, valve, medium pressure pipe, assembly, High-pressure connector, Positive pressure air control device, pressure relief valve assembly, box.</p>	MED Approval, EN136 (1998) including AC (2003); EN137(2006); ISO23269-2:2011 PPE Approval EN137:2006 & EN 136:1998+AC:2003	8.700.000	25%	6.525.000
5		<p>Breathing Apparatus (SCBA) - Composite Cylinder 6,8 Liter</p> <p>Brand: FANGZHAN Model: RHZK6.8</p>	<p>Volume : 6.8 Litre Working Pressure : 30 Mpa (300 Bar) Period : 60-65min Cylinder Material : Composite</p> <p>Include in package: full face mask, Backing, Gas cylinder, valve with pressure gauge, medium pressure pipe, assembly, High-pressure connector, Positive pressure air control device, pressure relief valve assembly, box.</p>	MED Approval, EN136 (1998) including AC (2003); EN137(2006); ISO23269-2:2011 PPE Approval EN137:2006 & EN 136:1998+AC:2003	11.475.000	25%	8.606.250
6		<p>Breathing Apparatus (SCBA) - Steel Liter</p> <p>Brand: ENDLESSAFE Model: RHZKF6/30</p>	<p>Volume : 6 Litre Working Pressure : 30 Mpa (300 Bar) Period : 50-60 min Cylinder Material : Steel</p> <p>Include in package: full face mask, Backing, Gas cylinder, valve with pressure gauge, medium pressure pipe, assembly, High-pressure connector, Positive pressure air control device, pressure relief valve assembly, box.</p>	Garansi 1 tahun Jaminan ketersediaan sparepart selama 5 tahun	8.100.000	25%	6.075.000
7		<p>Breathing Apparatus (SCBA) - Composite Cylinder 6,8 Liter</p> <p>Brand: ENDLESSAFE Model: RHZKF6.8/30</p>	<p>Volume : 6.8 Litre Working Pressure : 30 Mpa (300 Bar) Period : 60-65min Cylinder Material : Composite c/w Pressure Gauge in the valve cylinder</p> <p>Include in package: full face mask, Backing, Gas cylinder, valve with pressure gauge, medium pressure pipe, assembly, High-pressure connector, Positive pressure air control device, pressure relief valve assembly, box.</p>	Garansi 1 tahun Jaminan ketersediaan sparepart selama 5 tahun	9.900.000	25%	7.425.000
8		<p>Breathing Apparatus (SCBA) - Coumposite</p> <p>Brand: MSA Model: AirXpress 2 Fire</p>	<p>BD Backplate: word-renowned design AutoMaxx-AS demand valve Gauge cap Pneumatic systems based on the alpha platform Padded harness, with reflective logo on the shoulder strap Integrated transponder for storage control</p> <p>Capacity: 6.8 Liter Working Pressure: 250 BAR Cyinder Material: Coumposite</p>	CE / EN137 (Standard Eropa)	38.000.000	25%	28.500.000
9		<p>Electric Air Supply Long Tube Air Respirator</p> <p>Brand: YIGU Model: YGDFA-25</p>	<p>BD Backplate: word-renowned design AutoMaxx-AS demand valve Gauge cap Pneumatic systems based on the alpha platform Padded harness, with reflective logo on the shoulder strap Integrated transponder for storage control</p> <p>Capacity: 6.8 Liter Working Pressure: 250 BAR Cyinder Material: Coumposite</p>		14.500.000	25%	10.875.000

Flash Light



1		<p>Mini Flashlight LED USB Rechargeable</p> <p>Brand: TaffLED</p>	<p>XML-T6 6250 Lumens 10W - P15 Tipe LED T6 Lumens 6250 Lumens Tipe Baterai 18650 Rechargeable Lithium Battery Dimensi 12 (length) x 2.7 (main diameter) x 2.4 (tail diameter)</p> <p>Include in package: 1 x flashlight 1 x Baterai 18650 (rechargeable) 1 x USB cable</p>		150.000	25%	112.500
---	--	--	---	--	---------	-----	---------

2		Portable explosion proof flashlight Brand: YEAN Model: DF-6Z	1. The product's shell material painted with fine lacquer layer is made of aluminum alloy. 2. Lamp shell doesn't have through-hole, the lamp's switch on-off uses the structure of dry spring of alarm circuits and strong magnetic switch to ensure the explosion-proof character. 3. The lamp has safety lock clamping screw nail ensuring the closure of the lamp in inflammable and explosives locations. The lamp cover can only be opened in safe place by person in charge of using special spanner when the electricity is off. 4. Battery: 6pcs Battery Type D / R25S (non rechargeable) 5. Duration: ≥3h 6. Light bulb: 7.2V 0.5A 7. Explosion-proof class: IP65	CCS	950.000	25%	712.500
3		Portable explosion proof flashlight IP66 Brand: FANGZHAN Model: FZ-6	1. The product's shell material painted with fine lacquer layer is made of ZDL-102 aluminum alloy. 2. Lamp shell doesn't have through-hole, the lamp's switch on-off uses the structure of dry spring of alarm circuits and strong magnetic switch to ensure the explosion-proof character. 3. The lamp has safety lock clamping screw nail ensuring the closure of the lamp in inflammable and explosives locations. The lamp cover can only be opened in safe place by person in charge of using special spanner when the electricity is off. 4. Battery: 5pcs Battery Type D / R25S (non rechargeable) 5. Duration: 3h 6. LED Lamp 7. Explosion-proof class: IP66	CCS	1.100.000	25%	825.000
4		Senter Besar 40W Rechargeable Brand: AOKI Mode: AK-8100L	DESKRIPSI: 1. Diameter lensa 11,1 cm 2. Menggunakan baterai cas ulang, kapasitas besar Lhitium 4V 5000mAh(18650 X 3pcs) 3. Menggunakan baterai awet, dapat dicas ulang lebih dari 500 kali 4. Dilengkapi LED yg tahan lama, sangat terang dan hemat energi 5. Menggunakan 40W LED HALOGEN isi dalam box : - 1 unit senter jumbo - 1 pc tali (strap) - 1 pc adaptor		375.000	25%	281.250
5		Headlamp LED Rechargeable Brand: TaffLED Model: KX-1804	LED Model of LED: 1*XPE +1*COB Luminious Flux Lumens: 180lm (COB), 100lm (XPE) Battery Type 18650 (rechargeable) Length 8.5cm x 3.8cm x 4cm Water resist - splashproof isi dalam box : - 1 unit headlamp - 1 pc tali (strap) - 1 pc battery 18650 (rechargeable) - 1 pc USB cable		150.000	25%	112.500

Tandu Lipat

1		Tandu Lipat 2 Aluminium Brand: GEA	Dimensi Produk: 2210 x 525 x 150mm Dimensi Produk terlipat: 1100 x 180 x 225mm Berat Bersih: 6 Kg Berat Maksimal: 159 Kg Terdapat shield belt Terdapat tas tandu lipat Pegangan tandu dari bahan karet		1.975.000	25%	1.481.250
2		Tandu Lipat 4 Aluminium Brand: GEA	- Size: terbuka (tandu dibuka) : 213cm (p) x 56cm (L) x 15cm (T) - Size: tertutup (tandu ditutup) : 104cm (p) x 19cm (L) x 12cm (T) - Berat tandu : 5 kg - ada tas warna orange - Bahan Aluminium TEBAL, TDK BISA BERKARAT - Mampu menampung beban sampai dengan 159 Kg - Terdapat 2 buah sabuk pengaman sehingga pasien lebih aman dan tidak jatuh		1.995.000	25%	1.496.250

Fire Blanket

1		Fire Blanket (PVC Box Case) Size: 1,2 x 1,2 m Brand: ENDLESSSAFE	•Lebar / Panjang : 1.2 meter / 1.2 meter •Tebal : 0.4 mm •Material : Fiberglass •Temperatur : 550°C •Standard: CE / EN-1869:1997 •Packing: Hard PVC Box		250.000	25%	187.500
2		Fire Blanket (PVC Box Case) Size: 1,2 x 1,8 m Box Brand: ENDLESSSAFE	•Lebar / Panjang : 1.2 meter / 1.8 meter •Tebal : 0.4 mm •Material : Fiberglass •Temperatur : 550°C •Standard: CE / EN-1869:1997 •Packing: Hard PVC Box		300.000	25%	225.000



3		Fire Blanket (PVC Box Case) Size: 1,8 x 1,8 m Box Brand: ENDLESSAFE	<ul style="list-style-type: none"> •Lebar / Panjang : 1.8 meter / 1.8 meter •Tebal : 0.4 mm •Material : Fiberglass •Temperatur : 550°C •Standard: CE / EN-1869:1997 •Packing: Hard PVC Box 		350.000	25%	262.500
4		Fire Blanket (Bag Case) Size: 1 x 1 m	<ul style="list-style-type: none"> •Lebar / Panjang : 1 meter / 1 meter •Tebal : 0.4 mm •Material : Fiberglass •Temperatur : 550°C •Standard: CE / EN-1869:1997 •Packing: Bag 		175.000	25%	131.250
4		Fire Blanket (Bag Case) Size: 1,2 x 1,2 m	<ul style="list-style-type: none"> •Lebar / Panjang : 1.2 meter / 1.2 meter •Tebal : 0.4 mm •Material : Fiberglass •Temperatur : 550°C •Standard: CE / EN-1869:1997 •Packing: Bag 		200.000	25%	150.000
5		Fire Blanket (Bag Case) Size: 1,2 x 1,8 m	<ul style="list-style-type: none"> •Lebar / Panjang : 1.2 meter / 1.8 meter •Tebal : 0.4 mm •Material : Fiberglass •Temperatur : 550°C •Standard: CE / EN-1869:1997 		225.000	25%	168.750
6		Fire Blanket (Bag Case) Size: 1,8 x 1,8 m	<ul style="list-style-type: none"> •Lebar / Panjang : 1.8 meter / 1.8 meter •Tebal : 0.4 mm •Material : Fiberglass •Temperatur : 550°C •Standard: CE / EN-1869:1997 		250.000	25%	187.500

Axe (Kampak)




1		Fire Axe / Kapak Damkar 25cm Model: ES-FM-AXE-25i	2 Mata Panjang 25cm Gagang Karet Import		225.000	25%	168.750
2		Kapak Damkar / Fire Axe 60cm Brand: ENDLESSAFE Model: ES-FM-AXE-60i	Type: Double Head Panjang 60cm Gagang Kayu Import		370.000	25%	277.500
3		Kapak Damkar / Fire Axe 90cm Brand: ENDLESSAFE Model: ES-FM-AXE-90i	Type: Double Head Panjang 90cm Gagang Kayu Import		370.000	25%	277.500

Peralatan emergency & rescue lainnya

1		Megaphone TOA with Sirene include battery	Output : Rated 15W Power Source : 9V DC R14P (SUM-2) or "C" Batteries AA 6 pcs Audible Range : Talk : Approx. 400m Sirene : Approx. 500m Sirene Mode : Push to talk Outer Horn Diameter : 210 mm Length : 310 mm Weight : 980 g		1.350.000	25%	1.012.500
2		P3K / First Aid Kit/ Tipe C	Tas Emergency Selempang, sudah termasuk Isi P3K Tipe C. Sesuai peraturan kemeterian untuk pegawai maksimal 100 orang.		990.000	25%	742.500
3		Insulated Rescue Hook	Name: Insulated rescue hook Material: Epoxy resin Loading capacity : more than 80 kgs Length: 10KV: two sections (2 meters) 38KV: three sections (3 meters) Made in China		7.500.000	25%	5.625.000

4		RESCUE TRIPOD Brand: ENDLESSAFE	Materials: High Strength Aluminium Alloy Workload: 250kg Gear Ratio: 5:1 Fully Expanded: 222cm Cable Length: 25m Weight: <25KG Winch Blocking Force: 22KN Fully Contracted: 141CM Blocking Force: 500KG Maximum Lifting Weight: 1600n Made In China		15.000.000	25%	11.250.000
5		Axial fan 12 inch + 5 meter duct hose Brand: CKE	Spesifikasi Axial Fan / Portable Ventilator : Size 12" Power 310W Voltage 220V Air Flow 2120CFM Speed 2800RPM Pressure 345Pa Spesifikasi Duct Hose: Diameter 12" Length 5M Material Fireproof PVC		4.750.000	25%	3.562.500

Eyewash

1		Emergency Eyewash Wall Mounted Brand: ENDLESSAFE Model: ES-EW-WM	Body & Pipe Material: Stainless Steel 304 Nozzle Material: ABS Pipe inlet Size: 1/2" Import, Made in china		1.710.000	25%	1.282.500
2		Emergency Eyewash Standing Brand: ENDLESSAFE Model: ES-EW-ST	Body & Pipe Material: Stainless Steel 304 Nozzle Material: ABS Working pressure: 0.25-0.45Mpa Shower valve size: 32mm(one inch) Sealing pressure: 0.4Mpa Height: 100 CM		3.540.000	25%	2.655.000
3		Emergency Eyewash and Shower Brand: ENDLESSAFE Model: ES-EW-SW	Body & Pipe Material: Stainless Steel 304 Nozzle Material: ABS Working pressure: 0.25-0.45Mpa Shower valve size: 32mm(one inch) Sealing pressure: 0.4Mpa Spray Flow: 120-180 Liters/Minutes Height: 230 CM		5.150.000	25%	3.862.500

Keterangan:

1. Harga belum termasuk PPN 11%
2. Harga bisa berubah sewaktu waktu, mohon untuk konfirmasi stock dan harga sebelum order

Demikian penawaran harga yang dapat kami sampaikan, silahkan menghubungi kami bila Bapak/Ibu membutuhkan klarifikasi lebih lanjut. Atas perhatian dan kerjasamanya kami ucapkan terima kasih.